	Type	L #	Hits	Search Text	DBs
1	BRS	L1	8719	protocol adj1 stack	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
2	BRS	L2	5078	1 and source	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
3	BRS	L3	160139	"3" and destination	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
4	BRS	L4	3706	2 and destination	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
5	BRS	L5	1407	4 and signaling	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	83	5 and (control adj1 layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
7	BRS	L7	20	6 and (adaptation adj1 layer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
8	BRS	L10	0	9 and (transfort adj1 address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
9	BRS	L11	0	9 and transfort	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
10	BRS	L12	3	9 and (transport adj1 address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
11	BRS	L9	10	8 and peer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
12	BRS	L8	14	7 and mapping	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB